

In The Claims:

1. (Currently Amended) A method for querying stored multimedia data in a computer system, comprising:

receiving into an intermediate level a high-level concept from a user describing data to be retrieved, wherein said intermediate level comprises:

a set of library modules, said set of library modules comprising:

a concept library module for storing concepts;

one or more library modules adapted to store said data from said one or more data sources;

a cataloger module adapted to construct a new concept from said high-level concept using data from said concept library and library modules, thereby creating a concept construct, and to pass said concept construct to said concept library module for storage as a concept; and

an interpreter module adapted to translate said high-level concept into low-level queries using said concepts stored in said construct library and to pass said low-level queries to said one or more search engines;

translating, in said intermediate level, said high-level concept into low-level queries by using system pre-defined high-level concepts; and

transferring said low-level queries to a low level comprising one or more search engines; said one or more search engines performing a query of the stored multimedia information using said low-level queries.

2. (Canceled)

3. (Currently Amended) The method of claim ~~2~~1 wherein said set of library modules further comprises at least one library module selected from the group comprising:

a feature library module adapted to store multimedia features;

a matching algorithm library module adapted to store matching algorithms; and

a constraint library module adapted to store feature constraints.

4. (Original) The method of claim 3 wherein each said library module further comprises an application program interface to receive said data from a said data source.

5. (Original) The method of claim 3 wherein said cataloger module further performs the steps of:

selecting a set of concept features from said feature library module;

selecting a set of concepts from said concept library module for use as child-concepts; and

selecting a set of constraints on said child concepts from said constraint library module.

6. (Original) The method of claim 1 wherein said each said concept comprises a triplet of a set of child-concepts, a set of features, and a set of relationships.

7. (Original) The method of claim 6 wherein said concepts comprise a hierarchical fuzzy graph data tree-structure comprising nodes, aggregation edges, and association edges and wherein:

said nodes correspond to said concepts and said features;

said aggregation edges correspond to parent-child relationships; and

said association edges correspond to said constraints.

8. (Original) The method of claim 7 wherein said edges are weighted.

9. (Canceled)

10. (Canceled)

11. (Currently Amended) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for querying stored multimedia data, said method steps comprising:

receiving into an intermediate level a high-level concept from a user describing data to be retrieved, wherein said intermediate level comprises:

a set of library modules, said set of library modules comprising:

a concept library module for storing concepts;

one or more library modules adapted to store said data from said one

or more data sources;

a cataloger module adapted to construct a new concept from said high-level concept using data from said concept library and library modules, thereby creating a concept construct, and to pass said concept construct to said concept library module for storage as a concept; and

an interpreter module adapted to translate said high-level concept into low-level queries using said concepts stored in said construct library and to pass said low-level queries to said one or more search engines;

translating, in said intermediate level, said high-level concept into low-level queries
by using system pre-defined high-level concepts;

transferring said low-level queries to a low level comprising one or more search
engines; said one or more search engines performing a query of the stored multimedia information
using said low-level queries.

12. (Canceled)

13. (Currently Amended) The apparatus of claim ~~12~~11 wherein said set of library modules
further comprises at least one library module selected from the group comprising:

a feature library module adapted to store multimedia features;

a matching algorithm library module adapted to store matching algorithms; and

a constraint library module adapted to store feature constraints.

14. (Original) The apparatus of claim 13 wherein each said library module further
comprises an application program interface to receive said data from a said data source.

15 (Original) The apparatus of claim 13 wherein said cataloger module further performs
the steps of:

selecting a set of concept features from said feature library module;

selecting a set of concepts from said concept library module for use as child-concepts; and

selecting a set of constraints on said child concepts from said constraint library module.

16. (Original) The apparatus of claim 11 wherein said each said concept comprises a triplet of a set of child-concepts, a set of features, and a set of relationships.

17. (Original) The apparatus of claim 16 wherein said concepts comprise a hierarchical fuzzy graph data tree-structure comprising nodes, aggregation edges, and association edges and wherein:

said nodes correspond to said concepts and said features;

said aggregation edges correspond to parent-child relationships; and

said association edges correspond to said constraints.

18. (Original) The apparatus of claim 17 wherein said edges are weighted.

19. (Canceled)